



**SPECIALTY CHEMICALS** / AQUEOUS HIGH PRESSURE SPRAY CLEANER

# AmberClean™ 502



AmberClean™ 502 is a non-silicate, biodegradable high pressure spray cleaner designed specifically for use on metals, plastics and composite materials. Its unique water-based formulation is founded on new cleaning technology and possesses a degree of environmental and personal safety that exceeds typical cleaners for similar applications. The non-foaming properties of AmberClean™ 502 make it ideal for high pressure and high temperature spray cleaning applications. AmberClean™ 502 contains unique corrosion inhibition technology allowing metal surfaces to be protected during cleaning processes without the use of silicates.

## TYPICAL PHYSICAL PROPERTIES

Appearance	Clear, amber liquid
Specific gravity, 20°C	1.04
Lbs/gallon	8.69
pH concentrate	7.90
Flash point	None @2% in deionized water

## RECOMMENDED PROCESS PARAMETERS

AmberClean™ 502 should be diluted with deionized water to a concentration of 2.0%

- 5.0% and used at a temperature of 120°F - 160°F.

## AVAILABLE PACKAGING

55 gallon drums, 5 gallon pails, 1 gallon containers

## Saint-Gobain Surface Conditioning

4905 East Hunter Avenue, Anaheim, CA 92807

Tel: 714-701-3900 Fax: 714-701-3912

## [surfaceconditioning.saint-gobain.com](http://surfaceconditioning.saint-gobain.com)

Saint-Gobain Surface Conditioning believes that the data contained herein is factual and the opinions expressed are those of qualified experts. The data should not be taken as a warranty or representation for which Saint-Gobain Surface Conditioning assumes legal responsibility. Rather it is offered solely for the consideration, investigation and verification of the user. Any use of this information and data must be determined by the user in accordance with federal, state and local laws and regulations.

## FEATURES AND BENEFITS

- Ideal for high pressure, high temperature spray applications
- Non-foaming and rinses easily
- Cleans grease, oil, dirt, ink and wax combinations effectively
- Designed to prevent corrosion on ferrous and non-ferrous substrates
- Non-toxic and non-flammable
- Non-silicate, non-caustic, noncorrosive and safe to use
- Will not leave films or residues
- Biodegradable and poses no environmental or health risks
- Does not contain silicone, phenols phthalates or ozone depleting compounds (ODCs)

