

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : **IDEAL Finish**  
Product code : 9246 0.75

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Polishing Slurry: white cloudy liquid

#### 1.2.2. Uses advised against

Restrictions on use : This material should not be used for any other purpose than the identified uses without expert advice. Improper use may cause potential health, safety and environmental risks.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Saint-Gobain Ceramics and Plastics, Inc.  
1 New Bond Street  
P.O. Box 15137  
01615 Worcester, MA - United States of America  
T 800-243-0028

[SDS.contact@saint-gobain.com](mailto:SDS.contact@saint-gobain.com) - <http://www.surfaceconditioning.saint-gobain.com/>

#### Only Representative

Saint-Gobain Coating Solutions  
50 rue du Mourelet  
Z.I. Courtine Mourre Frais, B.P.  
90966 84093 Avignon - France  
T 0033 (0) 4 90 85 85 00 - F 0033 (0) 4 90 82 94 52

[qualité-ehs.coating-solutions@saint-gobain.com](mailto:qualité-ehs.coating-solutions@saint-gobain.com)

### 1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week  
Within USA and Canada: 1-800-255-3924  
Outside USA and Canada: 1-813-248-0585  
1-300-954-583 (Australia)  
0-800-591-6042 (Brazil)  
400-120-0751 (China)  
000-800-100-4086 (India)  
800-099-0731 (Mexico)  
(collect calls accepted)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Not classified

#### Classification (GHS CA)

Not classified

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not Classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. GHS Label elements, including precautionary statements

According to the corresponding national regulations there is no labelling obligation for this product.

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Other hazards not contributing to the classification : If in eyes: this material may cause mechanical irritation.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alumina Powder	(CAS-No.) 1344-28-1 (EC-No.) 215-691-6 (REACH-no) 01-2119529248-35	10 - 35	Not Classified
Caustic Potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (REACH-no) 01-2119487136-33	< 0.2	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Caustic Potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (REACH-no) 01-2119487136-33	( 0.5 ≤ C < 2) Skin Irrit. 2, H315 ( 0.5 ≤ C < 2) Eye Irrit. 2, H319 ( 2 ≤ C < 5) Skin Corr. 1B, H314 ( 5 ≤ C < 100) Skin Corr. 1A, H314

Comments : This product does not contain any additional significantly hazardous material according to UN GHS.  
For components requiring REACH registration numbers (Regulation (EC) No 1907/2006) the number has been listed. All other components of this material do not require REACH registration.

Full text of H-statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Shovel or sweep up and put in a closed container for disposal. Clean contaminated surfaces with an excess of water.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Incompatible products : Oxidizing agent. Strong acids. Strong bases.

#### 7.3. Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to the Hazardous Products Regulation (February 11, 2015)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

IDEAL Finish	
No additional information available	
Alumina Powder (1344-28-1)	
USA - OSHA - Occupational Exposure Limits	
Local name	alpha-Alumina
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Caustic Potash (1310-58-3)	
No additional information available	
Alumina Powder (1344-28-1)	
Canada (Alberta) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Canada (Quebec) - Occupational Exposure Limits	
VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
Canada (New Brunswick) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Canada (Nunavut) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Canada (Northwest Territories) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Canada (Saskatchewan) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Canada (Yukon) - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	30 mppcf (Al <sub>2</sub> O <sub>3</sub> ) 10 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )

#### Alumina Powder (1344-28-1)

##### Austria - Occupational Exposure Limits

MAK [mg/m <sup>3</sup> ]	5 mg/m <sup>3</sup> (respirable fraction, smoke)
MAK Short time value [mg/m <sup>3</sup> ]	10 mg/m <sup>3</sup> (respirable fraction, smoke)

##### Belgium - Occupational Exposure Limits

Local name	Aluminium (métal et composés insolubles, fraction alvéolaire) # Aluminium (metaal en onoplosbare verbindingen, inadembare fractie)
------------	--

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Alumina Powder (1344-28-1)</b>	
Limit value [mg/m <sup>3</sup> ]	1 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020
<b>Croatia - Occupational Exposure Limits</b>	
GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust, inhalable particles) 4 mg/m <sup>3</sup> (respirable dust)
<b>Denmark - Occupational Exposure Limits</b>	
Grænseværdi (8 timer) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (total) 2 mg/m <sup>3</sup> (respirable)
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 4 mg/m <sup>3</sup> (respirable dust)
<b>France - Occupational Exposure Limits</b>	
Local name	Aluminium (Trioxyde de di-)
VME [mg/m <sup>3</sup> ]	10 mg/m <sup>3</sup>
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
<b>Greece - Occupational Exposure Limits</b>	
Local name	Αλουμίνα, α-
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable fraction) 5 mg/m <sup>3</sup> (respirable fraction)
Regulatory reference	Π.Δ. 90/1999
<b>Hungary - Occupational Exposure Limits</b>	
AK-érték	6 mg/m <sup>3</sup> (respirable dust)
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Aluminium oxides
OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2020
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (disintegration aerosol)
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (inhalable fraction) 2 mg/m <sup>3</sup> (respirable fraction)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Tritlenek glinu
NDS (mg/m <sup>3</sup> )	2.5 mg/m <sup>3</sup> (inhalable fraction) 1.2 mg/m <sup>3</sup> (respirable fraction)
Remark (PL)	Frakcja wdychalna – frakcja aerozolu wnikaćca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikaćca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.
Regulatory reference	Dz. U. 2018 poz. 1286

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Alumina Powder (1344-28-1)</b>	
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (aerosols) 3 mg/m <sup>3</sup> (dust (Aluminium and Aluminium oxides)) 1 mg/m <sup>3</sup> (fume (Aluminium and Aluminium oxides))
OEL STEL (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (aerosols) 10 mg/m <sup>3</sup> (dust (Aluminium and Aluminium oxides)) 3 mg/m <sup>3</sup> (fume (Aluminium and Aluminium oxides))
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (priemerná) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup> (inhalable dust)
<b>Spain - Occupational Exposure Limits</b>	
Local name	Óxido de aluminio (Corindón)
VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
<b>Sweden - Occupational Exposure Limits</b>	
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (total dust) 2 mg/m <sup>3</sup> (respirable fraction)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Aluminium oxides
WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Norway - Occupational Exposure Limits</b>	
Local name	Aluminiumoksid
Grenseverdier (AN) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (equal to the limit value for Nuisance dust)
Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (equal to the limit value for Nuisance dust)
Merknader (NO)	1) Grenseverdien er fastsatt lik verdien for sjenerende støv
Regulatory reference	FOR-2018-08-21-1255
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Aluminium oxyde / Aluminiumoxid [Korund]
MAK (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (respirable dust, smoke)
KZGW (mg/m <sup>3</sup> )	24 mg/m <sup>3</sup> (respirable dust, smoke)
Critical toxicity	Formel / Formal
Notation	B / B
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.01.2020
<b>Switzerland - Biological limit values</b>	
Switzerland - BLV	60 µg/g creatinine Parameter: Aluminum - Medium: urine - Sampling time: no restrictions

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves, Nitrile rubber gloves

#### Eye protection:

Splash goggles. Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.

The fine-dust mask with exhale Valve is recommended to use when dust and mist exceed exposure limits in air, according to EN149:2001 + A1:2009 FFP2 NR standard. The respiratory mask should be worn when respiratory hazards has been identified and evaluated. Respiratory protection should be always determined on quantitative exposure assessments.

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: cloudy white liquid.
Colour	: white.
Odour	: odourless.
Odour threshold	: No Data Available
pH	: 8.5
Relative evaporation rate (butylacetate=1)	: No Data Available
Melting point	: >2000 °C (>3632 °F) (Al <sub>2</sub> O <sub>3</sub> Powder)
Freezing point	: ≈ 0 °C
Boiling point	: 100 °C
Flash point	: > 93 °C
Auto-ignition temperature	: No Data Available
Decomposition temperature	: No Data Available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No Data Available
Relative vapour density at 20 °C	: No Data Available
Relative density	: 1.2 – 1.5 (4 °C)
Solubility	: Dispersible in water.
Partition coefficient n-octanol/water (Log Pow)	: No Data Available
Viscosity, kinematic	: No Data Available
Viscosity, dynamic	: No Data Available
Explosive properties	: Product is not explosive.

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties : Non oxidizing material according to EC criteria.  
Explosive limits : No Data Available

### 9.2. Other information

VOC content : 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not Classified  
Acute toxicity (dermal) : Not Classified  
Acute toxicity (inhalation) : Not Classified

#### Alumina Powder (1344-28-1)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

#### Caustic Potash (1310-58-3)

ATE US (oral)	546 mg/kg body weight
---------------	-----------------------

#### Caustic Potash (1310-58-3)

ATE CA (oral)	546 mg/kg body weight
---------------	-----------------------

Skin corrosion/irritation : Not Classified  
pH: 8.5  
Serious eye damage/irritation : Not Classified  
pH: 8.5  
Respiratory or skin sensitisation : Not Classified  
Germ cell mutagenicity : Not Classified  
Carcinogenicity : Not Classified  
Reproductive toxicity : Not Classified



# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Alumina Powder (1344-28-1)

NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
---------------------------	--

STOT-single exposure : Not Classified

STOT-repeated exposure : Not Classified

### Alumina Powder (1344-28-1)

NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
--	---

Aspiration hazard : Not Classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not Classified

Hazardous to the aquatic environment, long-term (chronic) : Not Classified

Not rapidly degradable

### 12.2. Persistence and degradability

This product does not contain organic compounds or other materials considered nutrients. This product does not contribute to chemical oxygen demand (COD) or biological oxygen demand (BOD). This product can reasonably be anticipated to reduce the COD and BOD of systems containing organic compounds and nutrient materials through oxidative mechanisms.

### 12.3. Bioaccumulative potential

### Caustic Potash (1310-58-3)

Partition coefficient n-octanol/water (Log Kow)	0.65
---	------

### 12.4. Mobility in soil

The product will not evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is possible.

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

In accordance with TDG

In accordance with ADR / IATA / IMDG

ADR	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

#### 14.6. Special precautions for user

##### Overland transport

Not regulated

##### Transport by sea

Not regulated

##### Air transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

##### 15.2. International regulations

##### CANADA

All components of this product are listed on the Canadian DSL (Domestic Substances List).

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### All components of IDEAL Finish are:

Listed on the Canadian DSL (Domestic Substances List)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 g/l

### 15.1.2. National regulations

#### US State regulations

#### IDEAL Finish

U.S. - California - Proposition 65 - Other information

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alumina Powder(1344-28-1)	U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min); U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr); U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs); U.S. - Idaho - Occupational Exposure Limits - TWAs; U.S. - Massachusetts - Right To Know List; U.S. - Massachusetts - Toxics Use Reduction Act; U.S. - Michigan - Occupational Exposure Limits - TWAs; U.S. - Minnesota - Hazardous Substance List; U.S. - Minnesota - Permissible Exposure Limits - TWAs; U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances; U.S. - New Jersey - Environmental Hazardous Substances List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York - Occupational Exposure Limits - TWAs; U.S. - Oregon - Permissible Exposure Limits - TWAs; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Tennessee - Occupational Exposure Limits - TWAs; U.S. - Texas - Effects Screening Levels - Long Term; U.S. - Texas - Effects Screening Levels - Short Term; U.S. - Vermont - Permissible Exposure Limits - TWAs; U.S. - Washington - Permissible Exposure Limits - STELs; U.S. - Washington - Permissible Exposure Limits - TWAs

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed  
giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed  
giftige stoffen – Ontwikkeling

### Denmark

#### MAL-kode

00-1

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Abbreviations and acronyms:

BCF	Bioconcentration factor
OECD	Organisation for Economic Co-operation and Development
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

# IDEAL Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to the Hazardous Products Regulation (February 11, 2015)  
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
EUH210	Safety data sheet available on request.

SDS US (GHS)eew  
SDS Canada (GHS)  
SDS EU (REACH Annex II)

*While Saint-Gobain believes that the data and information contained herein are factual and the opinions are those of qualified experts, they are not to be taken as a warranty or representation for which Saint-Gobain assumes any legal responsibility. They are offered solely for the consideration, investigation, data and information in accordance with applicable laws and regulations.*